

Theming : Faites peau neuve en 50 minutes top chrono

RivieraDev — Theming

View 1 + New view

Filter by keyword or by field

Discard Save

Todo 9

This item hasn't been started

- Draft
Rework section layout on mobile viewport
- Draft
Add padding in footer between name and links
- Draft
Switch from strong to b in headings
- Draft
Find better title
- Draft
Add Favicon
- Draft
Add abbrs
- Draft
add idiomatic tags to idiomatic texts
- Draft
Fix typo in "criterions"
- Draft
Do stuff

In Progress 1

This is actively being worked on

- rivieradev-theming #1007
Implement dark theme

Done 9

This has been completed

- rivieradev-theming #3
Add pictures alternating sides
- rivieradev-theming #4
Add gradient to main heading
- rivieradev-theming #5
Add background image to landing
- rivieradev-theming #6
Add links to Jake Blucker
- rivieradev-theming #7
Add license
- rivieradev-theming #8
Add newsletter
- rivieradev-theming #9
Add contact form
- rivieradev-theming #10
Rework newsletter button to fuse with input
- rivieradev-theming #11
Add calls to action

Implement dark theme #1007

[Edit](#) [Comment](#) [Share](#) [...](#) [X](#)[Open](#)

Mintoo200/rivieradev-theming Public



Maria opened 2 days ago

...

No description provided.

+ Mintoo200 added this to [RivieraDev — Theming](#) 2 days ago

Mintoo200 converted this from a draft issue 2 days ago

[Add a comment](#)[Write](#)[Preview](#)

Use Markdown to format your comment

[Paste, drop, or click to add files](#)[Close issue](#)[Comment](#)

Assignees

No one - [Assign yourself](#)

Labels

No labels



Projects

[RivieraDev — Theming](#)Status [Todo](#)

Milestone

No milestone



Development

Create a branch for this issue or link a pull request.



Notifications

[Unsubscribe](#)

You're receiving notifications because you're subscribed to this thread.

Participants

[Transfer issue](#)[Lock conversation](#)[Pin issue](#)

Merci

 From Maria:

Hey, est-ce que tu pourrais ajouter
un bouton, ou un dropdown, pour...



Merci



Maria:

Hey, est-ce que tu pourrais ajouter un bouton, ou un dropdown, pour sélectionner le thème directement sur le site ?

```
:root {  
  background-color: var(--background-color);  
  color: var(--text-color);  
}
```



:root

```
<body data-theme="dark">
```

...

```
</body>
```

/:root



```
[data-theme] {  
  --background-color: black;  
  --text-color: white;  
}
```

Merci



Cyclic Dependency Space Toggles



Over the past few years, I wanted to be able to select a value from a list in CSS by toggling a single custom property. We have the “space toggle” for booleans, and hopefully, one day, we’ll get style queries, but what about today? In this article, I present you with the technique I recently discovered.

Table of Contents

1. The Technique

- What is Going On?
- Multi-Select
- Was This Always Possible?

2. Space Toggles Logic

- Buffer and an Impossible Inverter
- AND, NAND, OR, NOR, XOR, XNOR
- Fallback Values

3. Do We Still Need Style Queries?

4. Limitations

- Inheritance
- Animations
- Naming

5. Use Cases

The Technique

Let me start¹ by showing you the code, and then I will explain the technique (which I would refer to as “Cyclic Toggles”). Look:

```
.info {  
    --level: var(--level--default);  
  
    --level--default: var(--level,);  
    --level--success: var(--level,);  
    --level--warning: var(--level,);  
    --level--error: var(--level,);  
  
    background:  
        var(--level--default, lavender)  
        var(--level--success, palegreen)
```

All this builds up on the famous “space toggle” technique, alongside other inspirations — I’ll talk about them [later in the article](#).

The experiments that led to this technique came after [CSSDay](#), where there was a lot of excitement about the potential of style queries. I’ll write up about this in more detail in one of my future articles.

Merci



From Maria:
Concernant les blocs de code à la
fin, est-ce que tu peux forcer...



Merci



Maria:

Concernant les blocs de code à la fin, est-ce que tu peux forcer le thème sombre sur l'un et le thème clair sur l'autre ?

CSS Variables (Custom Properties) - CR

Usage

% of all tracked


?

• France

99.74% + 0.03% = 99.77%

Global

98.95% + 0.03% = 98.99%


**Baseline** Widely available across major browsers  

Permits the declaration and usage of cascading variables in stylesheets.

Current aligned  Usage relative Date relative

Filtered

All

[Notes](#)[Test on a real browser](#)[Known issues \(4\)](#)[Resources \(6\)](#)[Feedback](#)


Feature summary

Summary table of the following features:

1. dataset & data-* attributes
2. CSS 2.1 selectors
3. CSS at-rule: `@media` : `prefers-contrast` media feature
4. CSS at-rule: `@media` : `forced-colors` media feature
5. types: `<color>` : System colors
6. prefers-color-scheme media query
7. CSS property: color-scheme

Summary type: Combined Intersection Union Average score

Intersection: Each browser version is only considered supported if **all features** are supported.



Feature summary


Usage	% of all tracked	?
• France	98.06%	↗
Global	96.58%	↗

Summary table of the following features:

1. dataset & data-* attributes
2. CSS 2.1 selectors
3. types: `<color>` System colors
4. prefers-color-scheme media query
5. CSS property: color-scheme


Summary type: [Combined](#) [Intersection](#) [Union](#) [Average score](#)

Intersection: Each browser version is only considered supported if **all features** are supported.




Aller plus loin

Parlons Cascade



Click Me!



Click Me!

Click Me!

Click Me!

ur app

used to define the visual aspect of a page or website.
to the practice of letting the user choose parts of the
pre-conceived sets of assets. You'll often hear about
es well beyond that with web applications like
ed themes with features such as custom gradients,

[Learn more on Wikipedia →](#)



ur app

used to define the visual aspect of a page or website.
to the practice of letting the user choose parts of the
pre-conceived sets of assets. You'll often hear about
es well beyond that with web applications like
ed themes with features such as custom gradients,

[Learn more on Wikipedia →](#)



```
[data-theme="dark"] button {  
    border-radius: 30px;  
}  
  
@media (prefers-color-scheme: dark) {  
    button {  
        border-radius: 30px;  
    }  
}
```

```
@media (prefers-color-scheme: dark) {  
    button {  
        border-radius: 30px;  
    }  
}  
  
/* ... */  
  
button {  
    border-radius: 10px;  
}
```

```
@media (prefers-color-scheme: dark) {  
  :root button {  
    border-radius: 30px;  
  }  
}  
  
/* ... */  
  
button {  
  border-radius: 10px;  
}
```

Newsletter

Expect about **0 mail per day**
No useful information whatsoever
100% newsletter content guaranteed

E-mail —

Subscribe →

```
button {  
    border-radius: 10px;  
}  
input + button {  
    border-top-left-radius: 0px;  
    border-bottom-left-radius: 0px;  
}
```



```
@media (prefers-color-scheme: dark) {  
  :root button {  
    border-radius: 30px;  
  }  
}  
  
/* ... */  
  
input + button {  
  border-top-left-radius: 0px;  
  border-bottom-left-radius: 0px;  
}
```

```
@media (prefers-color-scheme: dark) {  
    button {  
        border-radius: 30px;  
    }  
}  
  
/* ... */  
  
button {  
    border-radius: 10px;  
}
```

```
button {  
    border-radius: 10px;  
}  
input + button {  
    border-top-left-radius: 0px;  
    border-bottom-left-radius: 0px;  
}  
  
/* ... */  
  
@media (prefers-color-scheme: dark) {  
    button {  
        border-radius: 30px;  
    }  
}
```

```
button {  
    border-radius: 10px;  
}  
input + button {  
    border-top-left-radius: 0px;  
    border-bottom-left-radius: 0px;  
}  
  
/* ... */  
  
[data-theme="dark"] button {  
    border-radius: 30px;  
}
```

```
button {  
    border-radius: 10px;  
}  
input + button {  
    border-top-left-radius: 0px;  
    border-bottom-left-radius: 0px;  
}  
  
/* ... */  
  
:where([data-theme="dark"]) button {  
    border-radius: 30px;  
}
```

```
<code data-theme="light">...</code>
```

```
<body data-theme="light">
  ...
<code data-theme="dark">
  <button>...</button>
</code>
</body>
```

```
[data-theme="dark"] button {
  border-radius: 30px;
}
[data-theme="light"] button {
  border-radius: 10px;
}
```

```
<body data-theme="light">
...
<code data-theme="dark">
    <button>...</button>
</code>
</body>
```

```
[data-theme="dark"] button {
    border-radius: 30px;
}
[data-theme="light"] button {
    border-radius: 10px;
}
```

```
<body data-theme="light">  
  ...  
  <code data-theme="dark">  
    <button>...</button>  
  </code>  
</body>
```

```
[data-theme="dark"] button {  
  border-radius: 30px;  
}  
[data-theme="light"] button {  
  border-radius: 10px;  
}
```

```
<body data-theme="light">
  ...
<code data-theme="dark">
  <button>...</button>
</code>
</body>
```

```
[data-theme="dark"] *,
[data-theme] [data-theme="dark"] * {
  border-radius: 30px;
}

[data-theme="light"] *,
[data-theme] [data-theme="light"] * {
  border-radius: 10px;
}
```

```
<body data-theme="dark">
...
<pre data-theme="light">
    <code data-theme="dark">
        <button>...</button>
    </code>
</pre>
</body>
```

```
[data-theme="dark"] *,
[data-theme] [data-theme="dark"] * {
    border-radius: 30px;
}

[data-theme="light"] *,
[data-theme] [data-theme="light"] * {
    border-radius: 10px;
}
```

```
<body data-theme="light">
  ...
<code data-theme="dark">
  <button>...</button>
</code>
</body>
```

```
[data-theme="dark"] button {
  border-radius: 30px;
}
[data-theme="light"] button {
  border-radius: 10px;
}
```

```
<body data-theme="light">
  ...
<code data-theme="dark">
  <button>...</button>
</code>
</body>
```

```
@scope ([data-theme="dark"]) {
  button {
    border-radius: 30px;
  }
}
@scope ([data-theme="light"]) {
  button {
    border-radius: 10px;
  }
}
```

Scoped Styles: the @scope rule

WD

Usage

% of all tracked

?

• France

81.47%

Global

83.48%

Limited availability across major browsers



Allows CSS rules to be scoped to part of the document, with upper and lower limits described by selectors.

Current aligned Usage relative Date relative

Filtered All



Chrome Edge * Safari Firefox Opera IE

4-103
104-117

118-
125

118

Chrome for Android Safari on iOS * Samsung Internet Opera Mini * Opera Mobile * UC Browser for Android Android Browser * Fi A

126

3.2-
17.3

17.4

```
<body data-theme="light">
  ...
<code data-theme="dark">
  <button>...</button>
</code>
</body>
```

```
[data-theme="dark"] button {
  border-radius: 30px;
}
[data-theme="light"] button {
  border-radius: 10px;
}
```

```
<body data-theme="light">  
  ...  
  <code data-theme="dark">  
    <button>...</button>  
  </code>  
</body>
```

```
[data-theme="light"] {  
  --border-radius: 10px;  
}  
  
[data-theme="dark"] {  
  --border-radius: 30px;  
}  
button {  
  border-radius: var(--border-radius);  
}
```

```
:root, [data-theme] {
  --style: var(--round);
  --round: var(--style,);
  --square: var(--style,);
}
button {
  border-radius:
    var(--round, 30px)
    var(--square, 0px);
}
```

```
:root, [data-theme] {  
    --style: var(--round);  
    --round: var(--style,);  
    --square: var(--style,);  
}  
button {  
    border-radius: var(--round, 30px);  
}  
button {  
    border-radius: var(--square, 0px);  
}
```

```
button, .call-to-action {
  --knob-width: 1ch;
  --knob-border-thickness: 2px;
  --knob-inset: 1ch;
  position: var(--button-magic, relative) var(--button-knobs, relative);
  border-radius: var(--button-magic, 1em) var(--button-knobs, 0);
  z-index: var(--button-magic, 0);
  &::before, &::after {
    position: var(--button-magic, absolute) var(--button-knobs, absolute);
    content: var(--button-magic, "") var(--button-knobs, "");
    aspect-ratio: var(--button-magic, 1);
    border-top: var(--button-magic, 2px solid var(--primary-color)) var(--button-knobs, var(--knob-border-thickness) solid var(--primary-color));
    border-bottom: var(--button-magic, 2px solid var(--primary-color)) var(--button-knobs, var(--knob-border-thickness) solid var(--primary-color));
    border-left: var(--button-knobs, var(--knob-border-thickness) solid var(--primary-color));
    border-right: var(--button-knobs, var(--knob-border-thickness) solid var(--primary-color));
    border-radius: var(--button-magic, 50%);
    transition-duration: var(--button-magic, 300ms) var(--button-knobs, 200ms);
    transition-timing-function: var(--button-magic, linear) var(--button-knobs, linear);
    opacity: var(--button-magic, 0);
    animation: var(--button-magic, rotate linear infinite 2s);
    z-index: var(--button-magic, -1) var(--button-knobs, 1);
    background-color: var(--button-knobs, var(--background-color));
    transform-origin: top left;
  }
  &:hover::before, &:hover::after {
    opacity: var(--button-magic, 1);
  }
  &:hover::before {
    left: var(--button-magic, 50%) var(--button-knobs, calc(100% - var(--knob-width) - var(--knob-inset) - var(--knob-border-thickness) * 2));
  }
  &:hover::after {
    right: var(--button-magic, 50%) var(--button-knobs, calc(100% - var(--knob-width) - var(--knob-inset) - var(--knob-border-thickness) * 2));
  }
  &::before {
    top: var(--button-magic, 50%) var(--button-knobs, 0);
    right: var(--button-magic, 50%);
    bottom: var(--button-magic, 50%);
    left: var(--button-magic, 50%) var(--button-knobs, var(--knob-inset));
    transform: var(--button-magic, translate(-50%, -50%)) var(--button-knobs, translateY(-50%));
    transition-property: var(--button-magic, opacity) var(--button-knobs, left);
    height: var(--button-magic, 160%) var(--button-knobs, .4em);
    width: var(--button-knobs, var(--knob-width));
  }
  &::after {
    top: var(--button-magic, 50%);
    right: var(--button-magic, 50%) var(--button-knobs, var(--knob-inset));
    bottom: var(--button-magic, 50%) var(--button-knobs, 0);
    left: var(--button-magic, 50%);
    transform: var(--button-magic, translate(-50%, -50%)) var(--button-knobs, translateY(50%));
    transition-property: var(--button-magic, opacity) var(--button-knobs, right);
    height: var(--button-magic, 200%) var(--button-knobs, .4em);
    width: var(--button-knobs, var(--knob-width));
    animation-direction: var(--button-magic, reverse);
  }
}
```



```
[data-theme="dark"] *,
[data-theme] [data-theme="dark"] * {
    border-radius: 30px;
}

[data-theme="light"] *,
[data-theme] [data-theme="light"] * {
    border-radius: 10px;
}
```

```
@scope ([data-theme="dark"]) {
    button {
        border-radius: 30px;
    }
}
@scope ([data-theme="light"]) {
    button {
        border-radius: 10px;
    }
}
```

Theming : Faites peau neuve en 50 minutes top chrono

~~Timing~~ : Faites peau neuve en 50 minutes top chrono
Spacing : Faites peau neuve en 50 minutes top chrono



~~Theming~~ : Faites peau neuve en 50 minutes top chrono

~~Spacing~~ : Faites peau neuve en 50 minutes top chrono

~~Layout~~ : Faites peau neuve en 50 minutes top chrono

~~Theming~~ : Faites peau neuve en 50 minutes top chrono

~~Spacing~~ : Faites peau neuve en 50 minutes top chrono

~~Layout~~ : Faites peau neuve en 50 minutes top chrono


~~Animations~~ : Faites peau neuve en 50 minutes top chrono

Merci



openfeedback.io/rivieradev24/0/216

Code source
par là



github.com/Mintoo200/rivieradev-theming

Feedback apprécié
par ici

et par là